

At page 9, line 8, after "CD43," insert --(SEQ ID NOS:1, 2, and 4-7)--.

RECEIVED

At page 9, line 8, after "bottom left," insert --(SEQ ID NOS:4-7)--.

DEC 22 2000

At page 9, line 17, after "PSGL-1," delete "(SEQ ID NO:4)."

TECH CENTER 1600/2900

At page 9, line 18, after "human IgG1," insert --(SEQ ID NOS:1, 4-7, and 9)--.

At page 10, line 15, after "or "F8")," insert --(SEQ ID NO:15)--.

At page 10, line 16, after "or "4th")," insert --(SEQ ID NO:16)--.

Delete the current sequence listing, submitted in this case on June 29, 2000, and insert the new sequence listing submitted herewith at the end of the application.

REMARKS

In the Examiner's communication mailed October 24, 2000, the Examiner notes that the application fails to comply with the requirements set forth in 37 C.F.R. §§ 1.821-1.825 since not all sequences were included in the claims and specification by sequence identification numbers. In particular, the Examiner states that all sequences mentioned in the brief description of Figures 9A, 12A, and 14 need to include sequence identification numbers. In addition, the Examiner points out that the sequence identifier listed in Figure 12A is incorrect.

The sequence listing and the specification have now been amended in accordance with the Examiner's comments. The brief description of the drawings has also been amended to identify each listed sequence with a sequence identification number. No new